



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

PATIENT ASSESSMENT/MANAGEMENT – MEDICAL

Candidate: _____
Date: _____
Scenario #: _____

Examiner: _____
Signature: _____

	Possible Points	Points Awarded
Actual Time Started: _____		
Takes or verbalizes appropriate body substance isolation precautions	1	
SCENE SIZE-UP		
Determines the scene/situation is safe	1	
Determines the mechanism of injury/nature of illness	1	
Determines the number of patients	1	
Requests additional help if necessary	1	
Considers stabilization of the spine	1	
PRIMARY SURVEY/RESUSCITATION		
Verbalizes general impression of the patient	1	
Determines responsiveness/level of consciousness (AVPU)	1	
Determines chief complaint/apparent life-threats	1	
Assesses airway and breathing -Assessment (1 point) -Assures adequate ventilation (1 point) -Initiates appropriate oxygen therapy (1 point)	3	
Assesses circulation -Assesses/controls major bleeding (1 point) -Checks pulse (1 point) -Assesses skin [either skin color, temperature or condition] (1 point)	3	
Identifies patient priority and makes treatment/ transport decision	1	
HISTORY TAKING		
History of the present illness -Onset (1 point) -Quality (1 point) -Severity (1 point) -Provocation (1 point) -Radiation (1 point) -Time (1 point) -Clarifying questions of associated signs and symptoms related to OPQRST (2 points)	8	
Past medical history -Allergies (1 point) -Past pertinent history (1 point) -Events leading to present illness (1 point) -Medications (1 point) -Last oral intake (1 point)	5	
SECONDARY ASSESSMENT		
Assesses affected body part/system -Cardiovascular -Neurological -Integumentary -Reproductive -Pulmonary -Musculoskeletal -GI/GU -Psychological/Social	5	
VITAL SIGNS		
-Pulse (1 point) -Respiratory rate and quality (1 point each) -Blood pressure (1point)	4	
States field impression of patient	1	
Interventions [verbalizes proper interventions/treatment]	1	
REASSESSMENT		
Demonstrates how and when to reassessment the patient to determine changes in condition	1	
Provides accurate verbal report to arriving EMS unit	1	
Actual Time Ended: _____	TOTAL	42



National Registry of Emergency Medical Technicians® Emergency Medical Technician Psychomotor Examination

PATIENT ASSESSMENT/MANAGEMENT – TRAUMA

Candidate: _____
Date: _____
Scenario #: _____

Examiner: _____
Signature: _____

NOTE: Areas denoted by “*” may be integrated within sequence of Primary Survey/Resuscitation**

Actual Time Started: _____	Possible Points	Points Awarded
Takes or verbalizes appropriate body substance isolation precautions	1	
SCENE SIZE-UP		
Determines the scene/situation is safe	1	
Determines the mechanism of injury/nature of illness	1	
Determines the number of patients	1	
Requests additional EMS assistance if necessary	1	
Considers stabilization of the spine	1	
PRIMARY SURVEY/RESUSCITATION		
Verbalizes general impression of the patient	1	
Determines responsiveness/level of consciousness	1	
Determines chief complaint/apparent life-threats	1	
Airway -Opens and assesses airway (1 point) -Inserts adjunct as indicated (1 point)	2	
Breathing -Assesses breathing (1 point) -Assures adequate ventilation (1 point) -Initiates appropriate oxygen therapy (1 point) -Manages any injury which may compromise breathing/ventilation (1 point)	4	
Circulation -Checks pulse (1 point) -Assesses skin [either skin color, temperature or condition] (1 point) -Assesses for and controls major bleeding if present (1 point) -Initiates shock management [positions patient properly, conserves body heat] (1 point)	4	
Identifies patient priority and makes treatment/ transport decision (based on calculated GCS)	1	
HISTORY TAKING		
Attempts to obtain sample history	1	
SECONDARY ASSESSMENT		
Head -Inspects mouth**, nose** and assesses facial area (1 point) -Inspects and palpates scalp and ears (1 point) -Assesses eyes** (1 point)	3	
Neck** -Checks position of trachea (1 point) -Checks jugular veins (1 point) -Palpates cervical spine (1 point)	3	
Chest** -Inspects chest (1 point) -Palpates chest (1 point) -Auscultates chest (1 point)	3	
Abdomen/pelvis** -Inspects and palpates abdomen (1 point) -Assesses pelvis (1 point) -Verbalizes assessment of genitalia/perineum as needed (1 point)	3	
Lower extremities** -Inspects, palpates and assesses motor, sensory and distal circulatory functions (1 point/leg)	2	
Upper extremities -Inspects, palpates and assesses motor, sensory and distal circulatory functions (1 point/arm)	2	
Posterior thorax, lumbar and buttocks** -Inspects and palpates posterior thorax (1 point) -Inspects and palpates lumbar and buttocks areas (1 point)	2	
VITAL SIGNS		
Obtains baseline vital signs [must include BP, P, R] (1 point)	1	
Manages secondary injuries and wounds appropriately	1	
REASSESSMENT		
Demonstrates how and when to reassesses the patient	1	
Actual Time Ended: _____	TOTAL	42



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

BVM VENTILATION OF AN APNEIC ADULT PATIENT

Candidate: _____
Date: _____

Examiner: _____
Signature: _____

Actual Time Started: _____		Possible Points	Points Awarded
Takes or verbalizes appropriate body substance isolation precautions		1	
Checks responsiveness	<i>NOTE: After checking responsiveness and breathing for at least 5 but no more than 10 seconds, examiner informs the candidate, "The patient is unresponsive and apneic."</i>	1	
Checks breathing		1	
Requests additional EMS assistance		1	
Checks pulse for at least 5 but no more than 10 seconds		1	
<i>NOTE: The examiner must now inform the candidate, "You palpate a weak carotid pulse at a rate of 60."</i>			
Opens airway properly		1	
<i>NOTE: The examiner must now inform the candidate, "The mouth is full of secretions and vomitus."</i>			
Prepares rigid suction catheter		1	
Turns on power to suction device or retrieves manual suction device		1	
Inserts rigid suction catheter without applying suction		1	
Suctions the mouth and oropharynx		1	
<i>NOTE: The examiner must now inform the candidate, "The mouth and oropharynx are clear."</i>			
Opens the airway manually		1	
Inserts oropharyngeal airway		1	
<i>NOTE: The examiner must now inform the candidate, "No gag reflex is present and the patient accepts the airway adjunct."</i>			
Ventilates the patient immediately using a BVM device unattached to oxygen [Award this point if candidate elects to ventilate initially with BVM attached to reservoir and oxygen so long as first ventilation is delivered within 30 seconds.]		1	
<i>NOTE: The examiner must now inform the candidate that ventilation is being properly performed without difficulty.</i>			
Re-checks pulse for at least 5 but no more than 10 seconds		1	
Attaches the BVM assembly [mask, bag, reservoir] to oxygen [15 L/minute]		1	
Ventilates the patient adequately -Proper volume to make chest rise (1 point) -Proper rate [10 – 12/minute but not to exceed 12/minute] (1 point)		2	
<i>NOTE: The examiner must now ask the candidate, "How would you know if you are delivering appropriate volumes with each ventilation?"</i>			
Actual Time Ended: _____		TOTAL	17

Critical Criteria

- ___ Failure to initiate ventilations within 30 seconds after taking body substance isolation precautions or interrupts ventilations for greater than 30 seconds at any time
- ___ Failure to take or verbalize body substance isolation precautions
- ___ Failure to suction airway before ventilating the patient
- ___ Suctions the patient for an excessive and prolonged time
- ___ Failure to check responsiveness and breathing for at least 5 seconds but no more than 10 seconds
- ___ Failure to check pulse for at least 5 seconds but no more than 10 seconds
- ___ Failure to voice and ultimately provide high oxygen concentration [at least 85%]
- ___ Failure to ventilate the patient at a rate of at least 10/minute and no more than 12/minute
- ___ Failure to provide adequate volumes per breath [maximum 2 errors/minute permissible]
- ___ Insertion or use of any adjunct in a manner dangerous to the patient
- ___ Failure to manage the patient as a competent EMT
- ___ Exhibits unacceptable affect with patient or other personnel
- ___ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on this form (below or turn sheet over).



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

BLEEDING CONTROL/SHOCK MANAGEMENT

Candidate: _____
Date: _____

Examiner: _____
Signature: _____

Actual Time Started: _____

	Possible Points	Points Awarded
Takes or verbalizes appropriate body substance isolation precautions	1	
Applies direct pressure to the wound	1	
<i>NOTE: The examiner must now inform the candidate that the wound continues to bleed.</i>		
Applies tourniquet	1	
<i>NOTE: The examiner must now inform the candidate that the patient is exhibiting signs and symptoms of hypoperfusion.</i>		
Properly positions the patient	1	
Administers high concentration oxygen	1	
Initiates steps to prevent heat loss from the patient	1	
Indicates the need for immediate transportation	1	
Actual Time Ended: _____	TOTAL	7

Critical Criteria

- ___ Did not take or verbalize body substance isolation precautions
- ___ Did not administer high concentration of oxygen
- ___ Did not control hemorrhage using correct procedures in a timely manner
- ___ Did not indicate the need for immediate transportation
- ___ Failure to manage the patient as a competent EMT
- ___ Exhibits unacceptable affect with patient or other personnel
- ___ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on this form (below or turn sheet over).



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

CARDIAC ARREST MANAGEMENT / AED

Candidate: _____
Date: _____

Examiner: _____
Signature: _____

Actual Time Started: _____	Possible Points	Points Awarded
Takes or verbalizes appropriate body substance isolation precautions	1	
Determines the scene/situation is safe	1	
Attempts to question bystanders about arrest events	1	
Checks patient responsiveness	1	
NOTE: The examiner must now inform the candidate, "The patient is unresponsive."		
Assesses patient for signs of breathing [observes the patient and determines the absence of breathing or abnormal breathing (gaspings or agonal respirations)]	1	
NOTE: The examiner must now inform the candidate, "The patient is apneic," or, "The patient has gasping, agonal respirations."		
Checks carotid pulse [no more than 10 seconds]	1	
NOTE: The examiner must now inform the candidate, "The patient is pulseless."		
Immediately begins chest compressions [adequate depth and rate; allows the chest to recoil completely]	1	
Requests additional EMS response	1	
Performs 2 minutes of high quality, 1-rescuer adult CPR Adequate depth and rate (1 point) Correct compression-to-ventilation ratio (1 point) Allows the chest to recoil completely (1 point) Adequate volumes for each breath (1 point) Minimal interruptions of less than 10 seconds throughout (1 point)	5	
NOTE: After 2 minutes (5 cycles), patient is assessed and second rescuer resumes compressions while candidate operates AED.		
Turns-on power to AED	1	
Follows prompts and correctly attaches AED to patient	1	
Stops CPR and ensures all individuals are clear of the patient during rhythm analysis	1	
Ensures that all individuals are clear of the patient and delivers shock from AED	1	
Immediately directs rescuer to resume chest compressions	1	
Actual Time Ended: _____	TOTAL	18

Critical Criteria

- ___ Failure to take or verbalize appropriate body substance isolation precautions
- ___ Failure to immediately begin chest compressions as soon as pulselessness is confirmed
- ___ Failure to deliver shock in a timely manner
- ___ Interrupts CPR for more than 10 seconds at any point
- ___ Failure to demonstrate acceptable high-quality, 1-rescuer adult CPR
- ___ Failure to operate the AED properly
- ___ Failure to correctly attach the AED to the patient
- ___ Failure to assure that all individuals are clear of patient during rhythm analysis **and** before delivering shock(s) [verbalizes "All clear" and observes]
- ___ Failure to immediately resume compressions after shock delivered
- ___ Failure to manage the patient as a competent EMT
- ___ Exhibits unacceptable affect with patient or other personnel
- ___ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on this form (below or turn sheet over).



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

JOINT IMMOBILIZATION

Candidate: _____
Date: _____

Examiner: _____
Signature: _____

Actual Time Started: _____	Possible Points	Points Awarded
Takes or verbalizes appropriate body substance isolation precautions	1	
Directs application of manual stabilization of the injury	1	
Assesses distal motor, sensory, and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory, and circulatory functions are present and normal."		
Selects the proper splinting material	1	
Immobilizes the site of the injury	1	
Immobilizes the bone above the injury site	1	
Immobilizes the bone below the injury site	1	
Secures the entire injured extremity	1	
Reassesses distal motor, sensory, and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory, and circulatory functions are present and normal."		
Actual Time Ended: _____	TOTAL	9

Critical Criteria

- ___ Did not immediately stabilize the extremity manually
- ___ Grossly moves the injured extremity
- ___ Did not immobilize the bone above and below the injury site
- ___ Did not reassess distal motor, sensory, and circulatory functions in the injured extremity before and after splinting
- ___ Failure to manage the patient as a competent EMT
- ___ Exhibits unacceptable affect with patient or other personnel
- ___ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

LONG BONE IMMOBILIZATION

Candidate: _____
Date: _____

Examiner: _____
Signature: _____

Actual Time Started: _____

	Possible Points	Points Awarded
Takes or verbalizes appropriate body substance isolation precautions	1	
Directs application of manual stabilization of the injury	1	
Assesses distal motor, sensory, and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory, and circulatory functions are present and normal."		
Measures the splint	1	
Applies the splint	1	
Immobilizes the joint above the injury site	1	
Immobilizes the joint below the injury site	1	
Secures the entire injured extremity	1	
Immobilizes the hand/foot in the position of function	1	
Reassesses distal motor, sensory, and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory, and circulatory functions are present and normal."		
Actual Time Ended: _____	TOTAL	10

Critical Criteria

- ___ Did not immediately stabilize the extremity manually
- ___ Grossly moves the injured extremity
- ___ Did not immobilize the joint above and the joint below the injury site
- ___ Did not immobilize the hand or foot in a position of function
- ___ Did not reassess distal motor, sensory, and circulatory functions in the injured extremity before and after splinting
- ___ Failure to manage the patient as a competent EMT
- ___ Exhibits unacceptable affect with patient or other personnel
- ___ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on this form (below or turn sheet over).



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

SPINAL IMMOBILIZATION (SEATED PATIENT)

Candidate: _____ Examiner: _____
Date: _____ Signature: _____

Actual Time Started: _____	Possible Points	Points Awarded
Takes or verbalizes appropriate body substance isolation precautions	1	
Directs assistant to place/maintain head in the neutral, in-line position	1	
Directs assistant to maintain manual stabilization of the head	1	
Reassesses motor, sensory, and circulatory functions in each extremity	1	
Applies appropriately sized extrication collar	1	
Positions the immobilization device behind the patient	1	
Secures the device to the patient's torso	1	
Evaluates torso fixation and adjusts as necessary	1	
Evaluates and pads behind the patient's head as necessary	1	
Secures the patient's head to the device	1	
Verbalizes moving the patient to a long backboard	1	
Reassesses motor, sensory, and circulatory function in each extremity	1	
Actual Time Ended: _____	TOTAL	12

Critical Criteria

- ___ Did not immediately direct or take manual stabilization of the head
- ___ Did not properly apply appropriately sized cervical collar before ordering release of manual stabilization
- ___ Released or ordered release of manual stabilization before it was maintained mechanically
- ___ Manipulated or moved the patient excessively causing potential spinal compromise
- ___ Head immobilized to the device **before** device sufficiently secured to the torso
- ___ Device moves excessively up, down, left, or right on the patient's torso
- ___ Head immobilization allows for excessive movement
- ___ Torso fixation inhibits chest rise, resulting in respiratory compromise
- ___ Upon completion of immobilization, head is not in a neutral, in-line position
- ___ Did not reassess motor, sensory, and circulatory functions in each extremity after voicing immobilization to the long backboard
- ___ Failure to manage the patient as a competent EMT
- ___ Exhibits unacceptable affect with patient or other personnel
- ___ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



**National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination**

SPINAL IMMOBILIZATION (SUPINE PATIENT)

Candidate: _____ Examiner: _____
Date: _____ Signature: _____

Actual Time Started: _____	Possible Points	Points Awarded
Takes or verbalizes body substance isolation precautions	1	
Directs assistant to place/maintain head in the neutral, in-line position	1	
Directs assistant to maintain manual stabilization of the head	1	
Reassesses motor, sensory, and circulatory functions in each extremity	1	
Applies appropriately sized extrication collar	1	
Positions the immobilization device appropriately	1	
Directs movement of the patient onto the device without compromising the integrity of the spine	1	
Applies padding to voids between the torso and the device as necessary	1	
Immobilizes the patient's torso to the device	1	
Evaluates and pads behind the patient's head as necessary	1	
Immobilizes the patient's head to the device	1	
Secures the patient's legs to the device	1	
Secures the patient's arms to the device	1	
Reassesses motor, sensory, and circulatory function in each extremity	1	
Actual Time Ended: _____	TOTAL	14

Critical Criteria

- ___ Did not immediately direct or take manual stabilization of the head
- ___ Did not properly apply appropriately sized cervical collar before ordering release of manual stabilization
- ___ Released or ordered release of manual stabilization before it was maintained mechanically
- ___ Manipulated or moved the patient excessively causing potential for spinal compromise
- ___ Head immobilized to the device **before** device sufficiently secured to the torso
- ___ Patient moves excessively up, down, left, or right on the device
- ___ Head immobilization allows for excessive movement
- ___ Upon completion of immobilization, head is not in a neutral, in-line position
- ___ Did not reassess motor, sensory, and circulatory functions in each extremity after immobilizing patient to the device
- ___ Failure to manage the patient as a competent EMT
- ___ Exhibits unacceptable affect with patient or other personnel
- ___ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.